

April 3, 2025

The Corporation of the Township of Esquimalt Municipal Hall - 1229 Esquimalt Road Victoria, B.C. V9A 3P1

Re: 868 Old Esquimalt Road
Rezoning Application for new triplex and 4-plex

Attn: Planning Department and Development Services

The proposed residential triplex and 4 plex proposed by Andrew Mills at 868 Old Esquimalt Road will strive to incorporate 'Green Initiatives' in an effort to increase energy efficiency, improve indoor air quality, and reduce the impact of construction on our environment.

Green Building standards are a desirable objective for the homeowners, as are energy efficiency, water conservation and management measures, reduction of storm and sewer infiltration, protecting and enhancing landscaping, air quality optimization, reuse and recycling of materials and resources, and increasing sustainable transportation modes.

All the relevant items on Esquimalt's Green Building Checklist will be evaluated and contemplated for adoption in due course. However, at this time, prior to hiring a builder and prior to understand all related costing, I am unable to know just to what extent their project will follow the specified checklist.

I have read and consider the green building checklist. The following list contains (but does not limit) items I am considering:

Green Building Standards:

Building will be constructed to meet BC Energy Step Code 3.

Operational Systems:

- All windows to be Energy Star labelled
- All appliances to be Energy Star labelled
- Home is built 'Solar Ready' providing for a rough-in of 3" (75mm) thermal run from mechanical room to attic and space allocated on roof tops.
- Energy efficient light bulbs



- Use of air-tight contact insulation on recessed lights to prevent air leakage
- Installation of high efficiency, direct vent, gas fuelled fireplaces with electronic ignition
- On demand hot water system

Building Materials:

- Use of finger-jointed non structural framing material
- Use of advanced sealing non HCFC expanding foam around window and door openings
- High performance building envelope materials

Interior and Exterior Finishes:

- Entry doors manufactured from natural materials (wood, metal and glass)
- · Natural cementitious exterior siding
- Minimum 30 year manufacturer warranty of roofing material
- MDF casing and baseboard trim (reducing reliance on old growth forest products)
- Highest quality interior and exterior materials, as can be budgeted, for durability

Indoor Air Quality:

- Installation of hardwired carbon monoxide detector
- All insulation in home to be third party certified with low formaldehyde
- Low formaldehyde subfloor sheathing, exterior sheathing, insulation, carpet underlayment and cabinetry (less than 0.18 ppm)
- All wood or laminate flooring to be factory finished
- Interior paints to have low VOC (Volatile Organic Compounds) content (less than 250 grams/ litre)

Ventilation:

- · Programmable Energy Star thermostat
- Ventilation fans to meet or exceed Energy Star Requirements
- HVAC system including electric powered ducted heat pump

Waste Management:

- Trees and natural features to be protected during construction
- Install into new duplex a built-in recycling centre with two or more bins
- Provide composter to both units
- Existing home to be deconstructed and recycled as much as possible



Water Conservation:

- CSA approved single flush toilet averaging 1.6 GPF (gallons per flush) or less installed in all bathroom locations
- Insulate hot water lines with pipe insulation on all hot water lines
- Install hot water recirculation line
- Install low flow faucets in kitchen, on lavatories and shower valves
- Plant drought tolerant vegetation
- Utilize swales and permeable paving for storm water management

Thank you for your consideration of my application.
Sincerely,
Andrew Mills



Green Building Checklist

Completed checklists form part of the application package reviewed by staff and ultimately, Council. New buildings and developments have impacts that last well beyond the construction period. Reducing the consumption of natural resources and increasing resilience to a changing climate are part of the challenge of building more sustainably. This checklist will help you identify and present how your project will help the Township meet its goals of becoming carbon neutral by 2050.

Applicant's Name	Andrew Mills 868 Old Esquimalt Development Corp.		
Site Address	868 Old Esquimalt Road		

1.0 Certification		Please check
1.1	Step Code (Please indicate level) □ 1 □ 2 ▼3 □ 4 □ 5	V
1.2	EnerGuide rating	
1.3	LEED	
1.4	Passive House	
1.6	Living building	
1.7	Other (Built Green BC, R-2000, Green Shores etc.)	
2.0 5	Siting	
2.1	New buildings > 10 m ² are located > 20 m from the high water mark (HWM) of the Gorge Waterway.	Required
2.2	New buildings >10 m ² are located at least 10 m from the HWM from the outer coastline.	Required
2.3	Flood Construction Level has been established using sea level rise projections for the life of the building.	
2.4	Habitats of threatened and endangered species have been protected from impacts of development.	
2.5	Buildings are located within disturbed or developed areas.	
3.0 5	Shoreline Protection Measures	
3.1	Landscaping within 10 m of the high water mark consists primarily of native plant and tree species.	Required
3.2	A conservation covenant has been signed to protect sensitive ecosystems within 10 m of the shoreline.	
3.3	At least one native tree capable of (now or in the future) supporting the nest of a Bald Eagle, Osprey etc. has been retained or is planted within 30 m of the high water mark (HWM).	
3.4	Removal of at least 30% of hardened shoreline and replacement with erosion control measures designed to improve the habitat of the shoreline.	
3.5	Light from building and landscaping does not cast over water.	
3.6	Wildlife habitat has been incorporated into seawall design.	

4.0 S	tormwater Absorption and Treatment	Please Check
4.1	An on-site stormwater retention system has been designed to retain at least the first 3 cm of rainfall from each rain event.	
4.2	Stormwater will be treated for pollutants prior to release to the stormdrain system or to a surface water source.	
4.3	The project features a green roof.	
4.4	The total amount of impervious surface is not greater than 20%.	V
5.0 W	ater Conservation	
5.1	The irrigation system has been designed to reduce potable water use by 50% compared to conventional systems.	
5.2	Waterless urinals will be used.	
5.3	Water features use re-circulating water systems.	
5.4	Rainwater will be collected for irrigation purposes.	
5.5	Toilet and kitchen sink drains are separate from other drains to the point of exit.	
5.6	An approved greywater reuse system will be installed.	
6.0 T	rees/Landscaping	
6.1	The project is designed to protect as many native and significant trees as possible.	V .
5.2	There will be no net loss of trees.	
6.3	Trees will be planted in soil volumes calculated to support the full grown size of the tree.	
6.4	At least 25% of replacement trees are large canopy trees.	
6.5	Topsoil will be protected from compaction, or stockpiled and reused.	
6.6	Erosion control measures have been designed and installed to prevent erosion of topsoil.	
7.0 B	iodiversity	
7.1	New landscaping is predominantly native plant and tree species.	
7.2	Invasive species will be removed from landscaped areas.	
7.3	At least two biodiversity features have been incorporated into the new or existing landscaping (see section 18.5.3 of the OCP for ideas).	
8.0 E	nergy Conservation	
3.1	The building is pre-plumbed for solar hot water.	Required
3.2	Install a greywater heat recovery unit.	
8.3	Passive cooling is supported through flow-through ventilation design, low E windows, solar shades, shade trees etc.	/
3.4	Passive heating is supported via building orientation, window design and thermal mass.	\
3.5	The building will have necessary structural support and conduit for Solar PV.	
3.6	Obtain minimum of 20% of building energy consumption through community based or on-site renewables, such as district energy, waste heat recovery, geothermal, solar PV, solar hot water.	
3.7	Heating uses a low carbon heating source, such as air source heat pump.	

9.0 Transportation		Please Check
9.1	Building will have a car share or bus pass program for residents.	
9.2	Enhanced facilities for bicyclists such as showers, lockers, storage etc.	
9.3	Charging infrastructure for E-bikes will be provided.	
9.4	EV charging conduit supplied to 100% of residential parking units.	
9.5	30% of residential parking spaces include an electrical outlet or EV charging equipment.	
9.6	Adequate space in the electrical system to provide EV charging for 100% of parking stalls.	\
9.7	For commercial buildings, Level 2 or Level 3 EV charging provided for employees and/or visitors.	
10.0 [Materials/Waste	
10.1	Employs at least 3 advanced framing techniques described in the CHBA builder's manual to reduce unnecessary lumber and sheathing.	/
10.2	Uses at least two materials which are certified for recycled content.	
10.3	Uses engineered structural material for two major applications (>10% of floor area).	
10.4	5 major building elements made from >50% recycled content.	
10.5	Use foundation, floor and >50% of walls from existing building.	
10.6	Deconstruct at least 50% of existing building for material salvage.	
10.7	Use at least five major materials or systems produced in BC.	
10.8	Use certified sustainably harvested wood for one major structural or finishing application (eg framing, plywood, floors)	
10.9	Eliminate use of wood from threatened trees.	V
10.10	Recycling area provided within residential suites.	
10.11	Recycling collection area for multi-family buildings.	V ,
10.12	Pickup of compostables provided in multi-family units.	
10.13	Construction waste management practices used to reduce and separate waste and divert at least 50% from the landfill.	/

Please include a brief description of how this project contributes to a reduction in greenhouse gas emissions and moves the municipality closer to its ultimate target of becoming carbon neutral by 2050 (use next page if needed).