



OUR HOUSE
842 CARRIE STREET - REZONING APPLICATION

ESQUIMALT HIGHSCHOOL

WEST NEIGHBOUR

NORTH NEIGHBOUR

HOUSE



THE LOT PANORAMA
842 CARRIE STREET - REZONING APPLICATION




120 YEARS OF HISTORY



MOUNTAIN VIEWS ON A CLEAR DAY



ANDERSON PARK AT KITTY-CORNER




12' WIDE BOULEVARDS ON COLVILLE




EXISTING ESTABLISHED TREES AND HEDGES

EXISTING SITE CONDITIONS AND THINGS WE LOVE 842 CARRIE STREET - REZONING APPLICATION




THE ONLY TWO WINDOWS ON THE ENTIRE SECOND FLOOR



6'-6" BASEMENT CEILING HEIGHT



ASBESTOS SIDING




UNSAFE STAIRS




NO INSULATION IN WALLS OR ROOF

EXISTING SITE CONDITIONS AND THINGS WE LOVE NOT SO MUCH 842 CARRIE STREET - REZONING APPLICATION




CURRENT ZONING

- SINGLE FAMILY RESIDENTIAL
- TOWNHOMES
- MIDRISE MULTIFAMILY



CURRENT OCP

842 CARRIE STREET - REZONING APPLICATION



SAMPLE TOWNHOUSE DEVELOPMENT

842 CARRIE STREET - REZONING APPLICATION



842 CARRIE STREET - REZONING APPLICATION



AERIAL VIEW - GOOGLE MAPS



STREETSCAPE - COLVILLE RD

842 CARRIE STREET - REZONING APPLICATION


LEGAL ADDRESS:	LOT 14, SECTION 10, ESQUIMALT DISTRICT, PLAN 276
CIVIC ADDRESS:	842 CARRIE ST, ESQUIMALT, BC
CURRENT ZONING:	RS-1
PROPOSED ZONING:	CD
ORIGINAL LOT SIZE:	578.5m2/ 6,226ft2

SITE B AREA:	2,757 ft ²
BUILDING B FOOTPRINT:	723 ft ²
SITE B COVERAGE:	26.2%
SITE B FAR:	0.37 (1,019 FT ²)
BUILDING HEIGHT:	7.3M
PARKING:	2 (SURFACE)


OVERALL SITE COVERAGE FOR BOTH SITES: 29.6%

[illegible]


XQUIMALT DEVELOPMENTS | 416-876-4846 | INFO@XQUIMALT.CA
PAGE 9




PROPOSED CONDITION WITH WEST AND NORTH NEIGHBOUR 842 CARRIE STREET - REZONING APPLICATION



BASEMENT PLAN




MAIN FLOOR PLAN



SECOND FLOOR PLAN


BUILDING B - PLANS IN RELATIONSHIP TO NEIGHBOURS 842 CARRIE STREET - REZONING APPLICATION



BASEMENT PLAN



MAIN FLOOR PLAN



SECOND FLOOR PLAN



SW VIEW



SE VIEW




NE VIEW




NW VIEW

BUILDING B - PLANS AND 3D VIEWS

842 CARRIE STREET - REZONING APPLICATION




BASEMENT PLAN -
EXISTING




BASEMENT PLAN -
PROPOSED

BUILDING A - EXISTING VS PROPOSED PLANS - RENOVATION 842 CARRIE STREET - REZONING APPLICATION




MAIN FLOOR PLAN -
EXISTING




MAIN FLOOR PLAN -
PROPOSED


BUILDING A - EXISTING VS PROPOSED PLANS - RENOVATION 842 CARRIE STREET - REZONING APPLICATION



2ND FLOOR PLAN -
EXISTING



2ND FLOOR PLAN -
PROPOSED



NORTH-SOUTH SECTION - PROPOSED

BUILDING A - EXISTING VS PROPOSED PLANS - RENOVATION 842 CARRIE STREET - REZONING APPLICATION




NE VIEW- PROPOSED



SE VIEW



SW VIEW



NW VIEW

BUILDING A - PROPOSED BUILDING 3D VIEWS 842 CARRIE STREET - REZONING APPLICATION



Green Building Checklist

Completed checklists form part of the application package reviewed by staff and ultimately, Council. New buildings and developments have impacts that last well beyond the construction period. Reducing the consumption of natural resources and increasing resilience to a changing climate are part of the challenge of building more sustainably. This checklist will help you identify and present how your project will help the Township meet its goals of becoming carbon neutral by 2050.

Applicant's Name Xquimalt Developments Ltd.
Site Address 842 Carrie St

1.0 Certification		Please check
1.1	Step Code (Please indicate level) 1 2 3 4 5	
1.2	EnerGuide rating	
1.3	LEED	
1.4	Passive House	
1.6	Living building	
1.7	Other (Built Green BC, R-2000, Green Shores etc.)	
2.0 Siting		
2.1	New buildings > 10 m² are located > 20 m from the high water mark (HWM) of the Gorge Waterway.	Required
2.2	New buildings >10 m² are located at least 10 m from the HWM from the outer coastline.	Required
2.3	Flood Construction Level has been established using sea level rise projections for the life of the building.	
2.4	Habitats of threatened and endangered species have been protected from impacts of development.	
2.5	Buildings are located within disturbed or developed areas.	
3.0 Shoreline Protection Measures		
3.1	Landscaping within 10 m of the high water mark consists primarily of native plant and tree species.	Required
3.2	A conservation covenant has been signed to protect sensitive ecosystems within 10 m of the shoreline.	
3.3	At least one native tree capable of (now or in the future) supporting the nest of a Bald Eagle, Osprey etc. has been retained or is planted within 30 m of the high water mark (HWM).	
3.4	Removal of at least 30% of hardened shoreline and replacement with erosion control measures designed to improve the habitat of the shoreline.	
3.5	Light from building and landscaping does not cast over water.	
3.6	Wildlife habitat has been incorporated into seawall design.	

4.0 Stormwater Absorption and Treatment		Please Check
4.1	An on-site stormwater retention system has been designed to retain at least the first 3 cm of rainfall from each rain event.	
4.2	Stormwater will be treated for pollutants prior to release to the stormdrain system or to a surface water source.	
4.3	The project features a green roof.	
4.4	The total amount of impervious surface is not greater than 20%.	
5.0 Water Conservation		
5.1	The irrigation system has been designed to reduce potable water use by 50% compared to conventional systems.	
5.2	Waterless urinals will be used.	
5.3	Water features use re-circulating water systems.	
5.4	Rainwater will be collected for irrigation purposes.	
5.5	Toilet and kitchen sink drains are separate from other drains to the point of exit.	
5.6	An approved greywater reuse system will be installed.	
6.0 Trees/Landscaping		
6.1	The project is designed to protect as many native and significant trees as possible.	
6.2	There will be no net loss of trees.	
6.3	Trees will be planted in soil volumes calculated to support the full grown size of the tree.	
6.4	At least 25% of replacement trees are large canopy trees.	
6.5	Topsoil will be protected from compaction, or stockpiled and reused.	
6.6	Erosion control measures have been designed and installed to prevent erosion of topsoil.	
7.0 Biodiversity		
7.1	New landscaping is predominantly native plant and tree species.	
7.2	Invasive species will be removed from landscaped areas.	
7.3	At least two biodiversity features have been incorporated into the new or existing landscaping (see section 18.5.3 of the OCP for ideas).	
8.0 Energy Conservation		
8.1	The building is pre-plumbed for solar hot water.	Required
8.2	Install a greywater heat recovery unit.	
8.3	Passive cooling is supported through flow-through ventilation design, low E windows, solar shades, shade trees etc.	
8.4	Passive heating is supported via building orientation, window design and thermal mass.	
8.5	The building will have necessary structural support and conduit for Solar PV.	
8.6	Obtain minimum of 20% of building energy consumption through community based or on-site renewables, such as district energy, waste heat recovery, geothermal, solar PV, solar hot water.	
8.7	Heating uses a low carbon heating source, such as air source heat pump.	

9.0 Transportation		Please Check
9.1	Building will have a car share or bus pass program for residents.	
9.2	Enhanced facilities for bicyclists such as showers, lockers, storage etc.	
9.3	Charging infrastructure for E-bikes will be provided.	
9.4	EV charging conduit supplied to 100% of residential parking units.	
9.5	30% of residential parking spaces include an electrical outlet or EV charging equipment.	
9.6	Adequate space in the electrical system to provide EV charging for 100% of parking stalls.	
9.7	For commercial buildings, Level 2 or Level 3 EV charging provided for employees and/or visitors.	
10.0 Materials/Waste		
10.1	Employs at least 3 advanced framing techniques described in the CHBA builder's manual to reduce unnecessary lumber and sheathing.	
10.2	Uses at least two materials which are certified for recycled content.	
10.3	Uses engineered structural material for two major applications (> 10% of floor area).	
10.4	5 major building elements made from >50% recycled content.	
10.5	Use foundation, floor and >50% of walls from existing building.	
10.6	Deconstruct at least 50% of existing building for material salvage.	
10.7	Use at least five major materials or systems produced in BC.	
10.8	Use certified sustainably harvested wood for one major structural or finishing application (eg framing, plywood, floors)	
10.9	Eliminate use of wood from threatened trees.	
10.10	Recycling area provided within residential suites.	
10.11	Recycling collection area for multi-family buildings.	
10.12	Pickup of compostables provided in multi-family units.	
10.13	Construction waste management practices used to reduce and separate waste and divert at least 50% from the landfill.	

Please include a brief description of how this project contributes to a reduction in greenhouse gas emissions and moves the municipality closer to its ultimate target of becoming carbon neutral by 2050 (use next page if needed).

Both the existing home, and the new single family house will go through energy modelling, we are hoping to achieve Step Code Level 2 with the existing home and Step Code Level 3 with the new SFH. Both homes will be "solar ready", and could be fitted out with PV solar panels. Both homes will be energy efficient to modern standards. A modest size PV solar system will be able to upset the energy requirement of the home and produce a carbon neutral whole-house system.

PLAY STRUCTURE FOR ANDERSON PARK

GREEN CHECK LIST AND COMMUNITY CONTRIBUTION

842 CARRIE STREET - REZONING APPLICATION