





### 36. **SINGLE FAMILY WATERFRONT RESIDENTIAL [RS-3]**

The intent of this Zone is to accommodate Single Family Dwellings on properties that abut the Sea.

#### (1) **Permitted Uses**

The following Uses and no others are permitted:

- (a) Single Family Residential
- (b) Home Occupation
- (c) Secondary Suite: subject to the requirements of Section 30.6
- (d) Boarding: subject to the requirements of Section 30.3
- (e) Urban Hens: subject to the requirements of Section 30.4 of this bylaw.

#### (2) **Parcel Size**

The minimum Parcel Size for Parcels created by subdivision shall be 530 square metres.

#### (3) **Minimum Lot Width**

The minimum width of a Parcel created by subdivision shall be 16 metres, measured at the Front Building line.

#### (4) **Floor Area Ratio**

The Floor Area Ratio shall not exceed 0.35.

#### (5) **Floor Area**

The minimum Floor Area for the First Storey of a Principal Building shall be 88 square metres.

#### (6) **Building Height**

- (a) No Principal Building shall exceed a Height of 7.3 metres
- (b) No Accessory Building shall exceed a Height of 3.6 metres

#### (7) **Building Width**

The minimum width for any Single Family Dwelling shall be 7 metres.

#### (8) **Lot Coverage**

- (a) All Principal Buildings, Accessory Buildings and Structures combined shall not cover more than 30% of the Area of a Parcel.
- (b) All Accessory Buildings and Structures combined shall not exceed 10% of the Area of a Parcel.

(9) **Siting Requirements**

(a) **Principal Building**

- (i) Front Setback: No Principal Building shall be located within 7.5 metres of the Front Lot Line.
- (ii) Side Setback: No Principal Building shall be located within 1.5 metres of an Interior Side Lot Line, with the total Setback of all Side Yards not to be less than 4.5 metres. In the case where a Parcel is not served by a rear lane, one (1) Side Yard shall not be less than 3 metres. In the case of a Corner Lot, no Principal Building shall be located within 3.6 metres of an Exterior Side Lot Line.
- (iii) Rear Setback: No Principal Building shall be located within 7.5 metres of a Rear Lot Line.
- (iv) Waterfront Setback: No Principal Building shall be located within 7.5 metres of the High Water Mark. The Setback shall follow a line drawn parallel to the indentations and sinuosities of the High Water Mark.

(b) **Accessory Building**

- (i) Front Setback: No Accessory Building shall be located in front of the front face of the Principal Building.
- (ii) Side Setback: No Accessory Building shall be located within 1.5 metres of an Interior Side Lot Line nor 3.6 metres of an Exterior Side Lot Line.
- (iii) Rear Setback: No Accessory Building shall be located within 1.5 metres of a Rear Lot Line.
- (iv) Waterfront Setback: No Accessory Building shall be located within 4.5 metres of the High Water Mark. The Setback shall follow a line drawn parallel to the indentations and sinuosities of the High Water Mark.
- (v) Building Separation: No Accessory Building shall be located within 2.5 metres of a Principal Building.

(10) **Fencing**

Subject to Section 22, no fence shall exceed a Height of 2 metres except that the Height of a Fence within 7.5 metres of a Highway adjoining the front yard shall not exceed 1.2 metres.

(11) **Off Street Parking**

Off street parking shall be provided in accordance with the requirements of Parking Bylaw, 1992, No. 2011 (as amended).